


# OWNER' S MANUAL FIREPLACE



**AC 220V-240V 50Hz**

**⚠ WARNING//  
⚠ Waarschuwing**

**Read and understand** this entire owner's manual, including **all safety information**, before plugging in or **using** this product. Failure to do so could result in **fire, electric shock, or serious personal injury**.

**Lees en begrijp deze gehele gebruikershandleiding**, inclusief alle veiligheidsinformatie, voordat u de stekker in het stopcontact steekt of dit product gebruikt. Als u dit niet doet, kan dit leiden tot brand, elektrische schokken of ernstig persoonlijk letsel.

# IMPORTANT SAFETY INFORMATION!

## WARNING

When using electrical appliances basic precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- Read all instructions before using this fireplace.
- Always unplug fireplace when not in use.
- Do not operate any fireplace with a damaged cord or plug or after the fireplace malfunctions, has been dropped damaged in any manner, return fireplace to authorized service facility for examination, electrical or mechanical adjustment, or repair.
- Indoor use only, do not use outdoors.
- This fireplace is not intended for use in bathrooms, laundry areas and similar indoor locations. Never locate fireplace where it may fall into a bathtub or other water container.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tipped over.
- To disconnect fireplace, turn controls to off, then remove plug from outlet.
- Use this fireplace only as describes in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons.
- Replacement of the lamps should be done only while the fireplace is disconnected from the supply circuit.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

## Preparation










This product includes a **GLASS panel!** Always use **extreme caution** when handling **glass**. Failure to do so could result in **personal injury** or **property damage**.


Remove all parts and hardware from the carton and place them on a clean, soft, dry surface. Parts and assembly steps are grouped for wall-hanging or recessing use. Check the parts list to make sure nothing is missing. Dispose of packaging materials properly. Please recycle whenever possible.

**You will need the following tools (not included):** Phillips screwdriver; stud finder; level; tape measure; electric drill; 1/4" wood drill bit, hammer.

# Parts and Hardware

|                                                                                                                      |                                                                                                                                    |                                                                                                                                       |  |
|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--|
|  <p><b>A –CRYSTAL FIREPLACE</b></p> |  <p><b>B – Wood Screws</b></p>                   |                                                                                                                                       |  |
|                                                                                                                      |  <p><b>C-Remote Control</b></p>                  |  <p><b>D-Iron bar accessories</b></p>              |  |
|                                                                                                                      |  <p><b>E-Decorative crystal (transparent)</b></p> |  <p><b>F-Decorative Crystal (black)</b></p>         |  |
|                                                                                                                      |                                                                                                                                    |  <p><b>G-Decorative crystal (clear) - Large</b></p> |  |

# Specification and Dimension




## PRODUCT DIMENSIONS

| Model Number      | A                             | B                             | C                             | D                             | E                             | F                              | G                              |
|-------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|
| <b>IF-3SD33DM</b> | <b>33.3"</b><br><b>84.6cm</b> | <b>18.3"</b><br><b>46.5cm</b> | <b>12.2"</b><br><b>31.0cm</b> | <b>33.3"</b><br><b>84.6cm</b> | <b>18.3"</b><br><b>46.5cm</b> | <b>11.81"</b><br><b>30.0cm</b> | <b>33.11"</b><br><b>84.1cm</b> |

# Installation and Assembly

## RECESSED TOWALL INSTALLATION



(A)


**STEP A.** Selection a dry wall to open a hole for fireplace box. Size of hole as below chart.

**Figure (A)**


| Framing Hole Size |                |              |                |
|-------------------|----------------|--------------|----------------|
| Model Number      | W              | D            | H              |
| IF-3SD33DM        | 33.39”(84.8cm) | 12.60”(32cm) | 18.39”(46.7cm) |

# Installation Overview

Your appliance facilitates three different installation configurations: **three-sided**, **two-sided**, and **Single-sided**.



The frame iron parts are fixed around the machine according to the installation requirements.





## Three-sided installation

- Glass exposed on front, left, AND right sides.
- Appliance is fully recessed into the wall with both sides open.

## Two-sided installation

- Glass exposed on front, AND left OR right sides.
- Appliance is fully recessed into the wall with one side open.




## Single-sided installation


- Glass exposed on front ONLY.
- Appliance is fully recessed into the wall.

# How do remove Front glass?

**1. Remove the screws from the top glass panel.**



**2. Try to lift the glass to the front with 2 people**



**3. Do the reverse to reset everything**

# Log-set / Crystals/Pebbles Installation

(OPMERKING: voer de installatie uit volgens de sintels die u hebt gekocht of geselecteerd.)

- A. Glass front must be removed and the appliance must be mounted in its final location before the drift logs embers are installed.
- B. Carefully place the plastic ember bed strip to the slot, then place crystal/pebbles embers onto the surface of the ember bed as illustrated. Apply an even layer from side to side. **Figure 1**



Figure 1. (Crystals )

## Operation



**Read and understand** this entire owner's manual, including **all safety information**, before plugging in or **using** this product. Failure to do so could result in **electric shock, fire, serious injury, or death.**


## Power

Plug the power cord into a AC 220-240 Volt outlet (see **IMPORTANT SAFETY INFORMATION** on **Pages 2 and 3**). Make sure the outlet is in good condition and that the plug is not loose. **NEVER** exceed the maximum amperage for the circuit. **DO NOT** plug other appliances into the same circuit.

## Methods of Operation

This electric fireplace can be operated **ONLY** by the REMOTE CONTROL.

Before operating, please review the **IMPORTANT SAFETY INFORMATION** on **Pages 2**, and heed all warnings.



## Remote Control Operation

| BUTTON                                                                              | FUNCTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | ACTION & INDICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p><b>ON:</b> Enables control panel functions and remote control. Turns on flame effect.</p> <p><b>OFF:</b> Disables control panel functions and remote control. Turns off flame effect.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>1. <b>Press once.</b> Indicator light turns on. Power turns on. All functions enabled.</p> <p>2. <b>Press again.</b> Flame effect turns off. Unit goes to standby. All functions turn off.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|    | <p><b>Flame Control:</b></p> <p>Changes the color of the Flame.L1(orange),L2(blue),L3(orange+blue),L4(cycle through settings, L1 (cycle adjustment)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p><b>Changing Flame Effect:</b>Once powered, press the “Flame” button and the LCD screen on the remote will display the Flame icon. Now, the Flame color can be adjusted. The different settings are: L1, L2, L3, L4; Flame light.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|  | <p><b>Heater:</b>Heater button switches to the temperature adjustment option when the weekly timing function is adjusted. Then use the  and  buttons to select the desired temperature. The temperature cannot be adjusted while the daily timer control is in use. Only the heating function can be switched.</p> <p><b>Temperature Setting range:</b><br/> <b>Centigrade:</b> 17° C, 18° C, 19° C, 20° C, 21° C, 22° C, 23° C, 24° C, 25° C, 26° C, 27° C, ON, 17° C (Cycle)</p> <p><b>Heat Settings:</b>Press and hold the heater button  for three seconds can transfer from ° C to ° F. Use remote control's Heater button to select the temperature. The system default parameters are: 82° F/27° C. Press  &amp;  buttons to select the temperature when the heating is turned on. Temperature range: 62° , 63° , 64° , 65° , 66° , 67° , 68° , 69° , 70° , 71° , 72° , 73° , 74° , 75° , 76° , 77° , 78° , 79° , 80° ,</p> | <p><b>Heating Operations:</b>1.Heating Operations:</p> <p>1) Press the heater button to turn the heating function on and off and adjust the temperature setting. Heater is divided into temperature settings: 62° , 63° , 64° , 65° , 66° , 67° , 68° , 69° , 70° , 71° , 72° , 73° , 74° , 75° , 76° , 77° , 78° , 79° , 80° , 81° , 82° , ON, 62° F. (Circular operation control)</p> <p>2) Press and hold the heater button for 3 seconds to convert the temperature unit from ° C to ° F. The temperature display window will flash. After the temperature is set, the display unit will flash 5 times, then automatically save the settings and exit the setting state. After the display unit is turned on, if there is no operation within 10 seconds, the setting status is also exited.</p> <p>3) Fan delay function: After the appliance is turned off, the fan will continue running for 15 seconds then stop. Open Window Detection function:When the appliance is heating and the ambient temperature suddenly drops <math>\geq -5^{\circ}\text{C}</math> (<math>9^{\circ}\text{F}</math>) within 10 minutes, and the environment cannot be warmed up within 30 minutes the appliance will automatically display “OP” . The heating function will then be automatically turned off, and when the “OP” is displayed, it can be turned off and then restarted by turning off and on the appliance to clear the fault code.</p> <p>4) This appliance has a non-self resetting overheat protection device (thermal cut-out) which will activate if the air inlets or outlets are obstructed. For safety reasons the fire will NOT switch on again automatically, the following procedure must be carried out before the fire can be operated.</p> |

|                                                                                     |                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                     | 81° , 82° , ON, 62° F.<br>(Cycle)                                                                                                                      | <p><b>NOTE: The flame-effect will remain operational if the cut-out is activated, only the fan heater is prevented from working.</b></p> <p>Switch OFF the appliance at the wall socket or outlet. Leave the fire OFF for a period of no less than 10 minutes, ensuring all obstructions are removed. Switch the appliance ON at the wall. Ensure the appliance is turned ON at the control switches. If the fire fails to operate correctly, repeat the above procedure. <b>Refer to section 13.0 for more information about the Safety Cut-Out System.</b></p>                                                                                                                                                                                                                                                                                                            |
|    | <p><b>Fuel Bed:</b><br/>Changes the color of the fuel bed. L1(orange), L2(blue), L3(orange+blue), L4(cycle through settings, L1 (cycle adjustment)</p> | <p><b>Fuel Bed Color Options:</b><br/>Once powered, press the “Fuel Bed” button and the LCD screen on the remote will display the fuel bed icon. Now, the fuel bed color can be adjusted. The different settings are: L1, L2, L3, L4; Fuel bed light.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|    | <p><b>Down Light:</b> Turns the down lighting ON/OFF, (the down light symbol will be lit when it is turned on)</p>                                     | <p><b>1.Press once.</b> LED ember light color effect gets changing.</p> <p><b>2.Press again</b> until desired setting is reached. In total 10 colors for EMBER.</p> <p><b>3.Auto-cycle function:</b> When pressing with the 11<sup>th</sup> time, the LED ember light will do auto-cycling (<b>NOTE: It will take 15 seconds to switch between colors.</b>)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <p><b>Sleep Timer:</b><br/>Adjusts the timer: 1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H, 9H, OF, 1H (cycle)</p>                                                   | <p><b>Setting Sleep Timer:</b> In the timed display, press the “Sleep Timer” button to adjust the time, plus one hour for each press. (You can’ t enter the weekly timing selection, you can only set the current automatic shutdown time. This function is available when the weekly timing function is turned on. Will not operate). Timing range: 1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H, 9H, OF, 1H (cycle adjustment).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <p><b>Date Set:</b><br/>To choose from Monday to Sunday or week timer mode option. Option mode:1-2-3-4-5-6-7-A-oF.</p>                                 | <p><b>Setting Clock and Timer:</b><br/>Use the date button to choose from Monday to Sunday or week timer mode option. Option mode:1-2-3-4-5-6-7-A-oF.</p> <p><b>Clock setting:</b></p> <p>1) At standby state (after the unit is plugged in and before pressing “main power” ), press and hold the Setting button on the remote for 3 seconds, the digital display will then flash “00:00” .</p> <p>2) Press  on the remote control to set the hour, press the remote control  to set the minutes.</p> <p>3) Press  “Setting” to enter the setting of the week timer. Press to select Sunday to Saturday, The</p> |

|                                                                                     |                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                     |                                                                                              | <p>date symbol will light up after the day is selected. When finished, press the  button to exit setting.</p> <p><b>NOTE: The current clock must be set after the initial power-on or power-off, otherwise the clock will remain “00:00” status and you won’ t be able to set the week timer function.</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|  | <p><b>Time and Week Settings</b></p> <p>Press to enter the time and week timer settings.</p> | <p><b>Timing switch ON/OFF preset:</b></p> <p>1) While in the standby state, press the sleep timer  button on the remote for three seconds to preset timing switch on/off the week timer. Enter mode 1, while the display is “1 ON” , the clock will be “01:00” , press to  set hour, press  to set minute, press  to set the week, every press  on the will show SU, MO, TU, WE, TH, FR, SA and flash in turn, you can use  the key to select or de-select the desired date. The  indicates all of the selected days. Press the “Heater”  button to enter the temperature setting, then press the  &amp;  button to set temperature.</p> <p>2) Press  “Setting” again to display is 1 OFF, the set the timer switch off, the clock is displayed as “02:00” , press  to set hour, press  to set minute, the date of the timer off is the same as the timer on, you can’ t change this manually. After setting, press  to enter the setting of mode 2, which operates the same as mode 1. You can set mode 1 to mode 7 with the above method. Press  or  on the remote for 3 seconds to save setting and exit week timer setting.</p> <p>3) After the preset timing ON/OFF switch, you can use clock/timer  button to select the desired timing mode 1-2-3-4-5-6-7- auto option, after the option shows five seconds without any operation, it will save the selected option and enter the current setting of the option, the timer logo of the display lighten and will automatically run the preset switch setting program. You can individually select each setting of modes 1 – 7 for automatic ON/OFF switching, or you can preset the desired settings, and then select “auto mode” for multiple preset series executions.</p> <p>4) If you want to set the ON/OFF switch and temperature setting for different periods of the week, then set the switching time and temperature of each day from</p> |

|                                                                                     |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                     |                                                                                                                                           | <p>Sunday to Monday in mode 1 – 7. After setting, use “auto mode” to run timing switch and then system will run the week timer of 1 – 7 modes. You can also set 1 – 7 modes within 1 day, use “auto mode” to run timing switch</p> <p>ON/OFF within one day. Be aware that when you use “auto mode” , you need to make sure the settings of times does not overlap each other, otherwise the timer will not operate.</p> <p>5) After entering the week timer setting, press the  button for 3 seconds to exit week timer mode, then the timer symbol will be extinguished. You can check the 1 – 7 timer settings by pressing the “Setting”  button. Example: press  to display (1 ON “01:00” temperature 80° F), press  again to display (1 OFF “02:00” temperature 80° F). Press the “Setting” button again to display (2 On “03:00” temperature 79° F) then press the Setting button to display (2 OFF “13:00” temperature 80° F). The wireless remote control and the appliance must be kept within 4 meters to prevent the remote control and the appliance from failing due to the distance exceeding the effective remote control range when working at the weekly timing. After the weekly time is turned on, the remote controller automatically controls the appliance at the set appointment time.</p> |
|  | <p><b>Lower temperature 1°C or F°</b></p> <p>Press this button to lower the temperature by – 1° , incrementally, while heating is on.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <p><b>Raise Temperature 1°C or F°</b></p> <p>Press this button to raise the temperature by +1°, incrementally, while heat is on.</p>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Remote Control Battery Information

Remote control uses one CR2025 battery **(Included)**



**NEVER** dispose of batteries in **fire**. Failure to observe this precaution **may result in an explosion**. Dispose of batteries at your local hazardous material processing center.

## Care and Maintenance

## Cleaning



**ALWAYS** turn the fireplace **OFF** and **unplug the power cord from the outlet** before cleaning, performing maintenance, or moving this fireplace. Failure to do so could result in **electric shock, fire, or personal injury.**



**NEVER** immerse in water or **spray with water.** Doing so could result in **electric shock, fire, or personal injury.**

### Metal:

- Buff using a soft cloth, slightly dampened with a citrus oil-based product.
- **DO NOT** use brass polish or household cleaners as these products will damage the metal trim.

### Glass:

- Use a good quality glass cleaner sprayed onto the cloth or towel. Dry thoroughly with a paper towel or lint-free cloth.
- **NEVER** use abrasive cleansers, liquid sprays, or any cleaner that could scratch the surface.

### Vents:

- Use a vacuum or duster to remove dust and dirt from the fireplace and vent areas.

### Plastic:

- Wipe gently with a slightly damp cloth and a mild solution of dish soap and warm water.
- NEVER** use abrasive cleansers, liquid sprays, or any cleaner that could scratch the surface.

## Maintenance



**Risk of electric shock! DO NOT OPEN any panels! No user-serviceable parts inside!**



**ALWAYS** turn the fireplace **OFF** and **unplug the power cord from the outlet** before cleaning, performing maintenance, or moving this fireplace. Failure to do so could result in **electric shock, fire, or personal injury.**

### Electrical and Moving Parts:

- Electrical components are integrated in the fireplace and are not serviceable by the consumer.

### Storage:

- Store fireplace in a clean dry place when not in use.



**WARNING! NO SERVICING** of the internal or electrical parts should be performed by the consumer. Do not service the unit yourself.



### WEEE:

**Meaning of crossed –out wheeled dustbin:**

Do not dispose of electrical appliances as unsorted municipal waste, use separate collection facilities. Contact you local government for information regarding the collection systems available. If electrical appliances are disposed of in landfills or dumps, hazardous substances can leak into the groundwater and get into the food chain, damaging your health and well-being.

When replacing old appliances with new ones, the retailer is legally obligated to take back your old appliance for disposals at least free of charge